




RoHS compliant



NOTES:

- 1.MATERIAL: NICKEL SILVER, THICKNESS 0.25mm
- 2.PACKAGING: TRAY PACKAGING
- 3.TEMPERATURE:  
 OPERATION : -40°C TO +85°C  
 STORAGE : -55°C TO +105°C



REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT	DRAWING NO	REV	A0	TITLE
A0		NEW DESIGN	2017/03/21						SFP 1X6 CAGE WITH GROUNDING PIN

GENERAL TOLERANCE

.X ±0.35 X.° ± 2°  
 .XX ±0.25 .X° ± 1°  
 .XXX ±0.15 .XX° ± 0.5°

DRAWN

Gene Li

2017/03/21

UNIT

MM

CHECKE

HYY

SCALE

1:1

APPROVE

SHEET

1/4

DRAWING NO


REV

A0

**X-SHUN** 东莞市祥舜电子科技有限公司  
 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD  
 TEL:+86 769 81885389 FAX:+86 769 81887859  
 E-Mail:sales@x-shun.com Http:www.x-shun.com

PART NO. 8001-160015-02

RoHS compliant




PCB LAYOUT FOR SINGLE SIDE MOUNTING

DETAIL H

				GENERAL TOLERANCE		DRAWN	<i>Sene Li</i>	2017/03/21	UNIT	MM	<b>X-SHUN</b> 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONIC TECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com		
				.X	±0.35	X.°	± 2°	CHECKE	HYY	SCALE	1:1	PART NO.	8001-160015-02
				.XX	±0.25	.X°	± 1°	APPROVE		SHEET	2/4		
A0		NEW DESIGN	2017/03/21	.XXX ±0.15		.XX° ± 0.5°				REV	A0	TITLE	SFP 1X6 CAGE WITH GROUNDING PIN
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT	DRAWING NO							

RoHS compliant



PCB LAYOUT FOR BELLY TO BELLY MOUNTING



				GENERAL TOLERANCE		DRAWN	<i>Sene Li</i>	2017/03/21	UNIT	MM	<b>X-SHUN</b> 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONIC TECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com		
				.X	±0.35	X.°	± 2°	CHECKE	HYY	SCALE	1:1	PART NO.	8001-160015-02
				.XX	±0.25	.X°	± 1°	APPROVE		SHEET	3/4		
A0		NEW DESIGN	2017/03/21	.XXX	±0.15	.XX°	± 0.5°					TITLE	SFP 1X6 CAGE WITH GROUNDING PIN
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT			DRAWING NO		REV	A0		

A

A



1 2 3 4 5 6 7 8

RoHS compliant



SECTION A-A

MOUNTED ON PC BOARD  
SHOWN THRU RECOMMENDED BEZEL



SECTION A-A

MOUNTED BELLY TO BELLY ON PC BOARD  
SHOWN THRU RECOMMENDED BEZEL

				GENERAL TOLERANCE		DRAWN	<i>Sene Li</i>	2017/03/21	UNIT	MM	<b>X-SHUN</b> 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com
				.X ±0.35	X.° ± 2°	CHECKE	HYY	SCALE	1:1		
				.XX ±0.25	.X° ± 1°	APPROVE		SHEET	4/4	PART NO.	8001-160015-02
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT	DRAWING NO		REV	A0	TITLE	SFP 1X6 CAGE WITH GROUNDING PIN

