



A



A

RoHS compliant




ECOMMENDED PCB CONFIGURATION

NOTES:

- ①. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
②. PADS AND VIAS ARE CHASSIS GROUND, 11 PLACES
③. THRU HOLES, PLATING OPTIONAL

					GENERAL TOLERANCE		DRAWN	Gene Li		2017/06/07	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com	
					.X ±0.35	X." ± 2"	CHECKE	HYY			SCALE	1:1		
					.XX ±0.25	X" ± 1"								
A0		NEW DESIGN	2017/03/21		.XXX ±0.15	.XX" ± 0.5"	APPROVE				SHEET	2/3	PART NO.	6001-110015-01
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT 		DRAWING NO				REV	A0	TITLE	SFP+ 1X1 CAGE WITH GROUNDING PIN

RoHS compliant



SECTION A-A

RECOMMENDED BEZEL DESIGN

NOTES:
△ MINIMUM PITCH ILLUSTRATED, ENGLISH
DIMENSIONS ARE FOR REFERENCE ONLY

					GENERAL TOLERANCE		DRAWN	Gene Li		2017/06/07	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com				
					.X	±0.35	X.°	± 2°		CHECKE	HYY		SCALE	1:1			
					.XX	±0.25	.X°	± 1°									
A0		NEW DESIGN	2017/03/21		.XXX	±0.15	.XX°	± 0.5°		APPROVE			SHEET	3/3	PART NO.	6001-110015-01	
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT					DRAWING NO			REV	A0	TITLE	SFP+ 1X1 CAGE WITH GROUNDING PIN	