


RoHS compliant




NOTES:

- 1.MATERIAL: NICKEL SILVER, THICKNESS 0.25mm
- 2.PACKAGING: TRAY PACKAGING
- 3.TEMPERATURE RANGE: -55°C TO +85°C

				GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/07	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com				
				.X	±0.35	X.°	± 2°	CHECKE	HYY	SCALE			1:1		
				.XX	±0.25	X.°	± 1°								
A0		NEW DESIGN	2017/03/21		.XXX	±0.15	.XX°	± 0.5°	APPROVE		SHEET	1/3	PART NO.	6001-110015-02	
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT				DRAWING NO		REV	A0	TITLE	SFP+ 1X1 CAGE WITH GROUNDING PIN	

RoHS compliant




RECOMMENDED PCB CONFIGURATION

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
2. PADS AND VIAS ARE CHASSIS GROUND, 11 PLACES
3. THRU HOLES, PLATING OPTIONAL

					GENERAL TOLERANCE		DRAWN		2017/06/07		UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONIC TECHNOLOGY CO., LTD TEL: +86 769 81885389 FAX: +86 769 81887859 E-Mail: sales@x-shun.com Http: www.x-shun.com	
					.X	± 0.35	X.°	$\pm 2^\circ$	CHECKED		SCALE	1:1		
					.XX	± 0.25	X.°	$\pm 1^\circ$	APPROVE		SHEET	2/3		
					.XXX	± 0.15	.XX°	$\pm 0.5^\circ$	DRAWING NO		REV	A0	PART NO.	6001-110015-02
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT								TITLE	SFP+ 1X1 CAGE WITH GROUNDING PIN

RoHS compliant



SECTION A-A

RECOMMENDED BEZEL DESIGN

NOTES:
△ MINIMUM PITCH ILLUSTRATED, ENGLISH
DIMENSIONS ARE FOR REFERENCE ONLY

					GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/07	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com				
					.X	±0.35	X.°	± 2°	CHECKE	HYY		SCALE	1:1			
					.XX	±0.25	.X°	± 1°								
A0		NEW DESIGN	2017/03/21		.XXX	±0.15	.XX°	± 0.5°	APPROVE			SHEET	3/3	PART NO.	6001-110015-02	
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT					DRAWING NO			REV	A0	TITLE	SFP+ 1X1 CAGE WITH GROUNDING PIN