






RoHS compliant



NOTES:
MATERIAL:
CAGE: NICKEL SILVER
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS
PACKAGING: TRAY PACKAGING.
TEMPERATURE RANGE: -40°C TO +85°C




DETAIL A
1:1




CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD

					GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/11	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com	
					.X ±0.35	X.° ±2°	CHECKE	HYY		SCALE	1:1		
					.XX ±0.25	.X° ±1°	APPROVE			SHEET	1/4	PART NO.	6001-22X015-01
					.XXX ±0.15	.XX° ±0.5°	DRAWING NO			REV	A0	TITLE	SFP+ 2X2 CAGE+CONNECTOR
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT								



RoHS compliant




0:W/O Light Pipe



2:Outer Light Pipe



1:Inner Light Pipe



3:Inner+Outer Light Pipe

P/N:6001-22X015-01

0:W/O Light Pipe


1:Inner Light Pipe

2:Outer Light Pipe

3:Inner+Outer Light Pipe

					GENERAL TOLERANCE		DRAWN	Gene Li		2017/06/11		UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com			
					.X	±0.35	X.°	± 2°		CHECKE	HYY		SCALE			1:1	
					.XX	±0.25	.X°	± 1°		APPROVE			SHEET			2/4	
A0		NEW DESIGN	2017/06/11		.XXX	±0.15	.XX°	± 0.5°		APPROVE			SHEET			2/4	PART NO.
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT				DRAWING NO				REV	A0	TITLE	SFP+ 2X2 CAGE+CONNECTOR	

RoHS compliant




NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND .

ECOMMENDED PCB CONFIGURATION

					GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/11	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com	
					.X ±0.35	X.° ± 2°	CHECKE	HYY		SCALE	1:1		
					.XX ±0.25	.X° ± 1°							
A0		NEW DESIGN	2017/06/11		.XXX ±0.15	.XX° ± 0.5°	APPROVE			SHEET	3/4	PART NO.	6001-22X015-01
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT 		DRAWING NO			REV	A0	TITLE	SFP+ 2X2 CAGE+CONNECTOR



					GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/11	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONIC TECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com			
					.X	±0.35	X.°	± 2°	CHECKE	HYY		SCALE	1:1		
					.XX	±0.25	.X°	± 1°							
A0		NEW DESIGN	2017/06/11		.XXX	±0.15	.XX°	± 0.5°	APPROVE			SHEET	4/4	PART NO.	6001-22X015-01
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT			DRAWING NO			REV	A0	TITLE	SFP+ 2X2 CAGE+CONNECTOR	