






RoHS compliant



DETAIL A
1:1



CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD

NOTES:

MATERIAL:
CAGE: NICKEL SILVER


CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS

PACKAGING: TRAY PACKAGING.


TEMPERATURE RANGE: -40°C TO +85°C

					GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/11	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONIC TECHNOLOGY CO., LTD TEL: +86 769 81885389 FAX: +86 769 81887859 E-Mail: sales@x-shun.com Http: www.x-shun.com	
					.X ±0.35	X.° ±2°	CHECKE	HYY		SCALE	1:1		
					.XX ±0.25	X.° ±1°	APPROVE			SHEET	1/4	PART NO.	6001-24X015-01
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT		DRAWING NO			REV	A0	TITLE	SFP+ 2X4 CAGE+CONNECTOR



RoHS compliant




0:W/O Light Pipe



2:Outer Light Pipe



1:Inner Light Pipe




3:Inner+Outer Light Pipe

P/N:6001-24X015-01

0:W/O Light Pipe
1:Inner Light Pipe
2:Outer Light Pipe
3:Inner+Outer Light Pipe

					GENERAL TOLERANCE		DRAWN	Gene Li		2017/06/11	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 E-Mail:sales@x-shun.com FAX:+86 769 81887859 Http:www.x-shun.com		
					.X	±0.35	X.°	± 2°	CHECKE	HYY		SCALE			1:1
					.XX	±0.25	.X°	± 1°							
A0		NEW DESIGN	2017/06/11			.XXX	±0.15	.XX°	± 0.5°	APPROVE		SHEET	2/4	PART NO.	6001-24X015-01
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT				DRAWING NO			REV	A0	TITLE	SFP+ 2X4 CAGE+CONNECTOR

RoHS compliant





ECOMMENDED PCB CONFIGURATION

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND (18 HOLES).

					GENERAL TOLERANCE	DRAWN	Gene Li	2017/06/11	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com	
					.X ±0.35 X.° ± 2°	CHECKE	HYY		SCALE	1:1		
A0		NEW DESIGN	2017/06/11		.XX ±0.25 .X.° ± 1°	APPROVE			SHEET	3/4	PART NO.	6001-24X015-01
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT	DRAWING NO			REV	A0	TITLE	SFP+ 2X4 CAGE+CONNECTOR

RoHS compliant



RECOMMENDED BEZEL DESIGN

					GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/11	UNIT	MM	X-SHUN DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com	
					.X ±0.35	X.° ± 2°	CHECKE	HYY		SCALE	1:1		
					.XX ±0.25	.X° ± 1°							
A0		NEW DESIGN	2017/06/11		.XXX ±0.15	.XX° ± 0.5°	APPROVE			SHEET	4/4	PART NO.	6001-24X015-01
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT		DRAWING NO			REV	A0	TITLE	SFP+ 2X4 CAGE+CONNECTOR