



RoHS compliant



CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD




NOTES:

MATERIAL:
CAGE: NICKEL SILVER

CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS

PACKAGING: TRAY PACKAGING.


TEMPERATURE RANGE: -40°C TO +85°C




DETAIL A
1:1

					GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/11	UNIT	MM	X-SHUN DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com	
					.X	±0.35 X.° ± 2°	CHECKE	HYY		SCALE	1:1		
A0		NEW DESIGN	2017/06/11		.XX	±0.25 .X° ± 1°				SHEET	1/4	PART NO.	6001-26X015-01
					.XXX	±0.15 .XX° ± 0.5°	APPROVE						
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE			DRAWING NO			REV	A0	TITLE	SFP+ 2X6 CAGE+CONNECTOR


RoHS compliant




0:W/O Light Pipe




3:Inner+Outer Light Pipe



1:Inner Light Pipe



2:Outer Light Pipe



P/N:6001-26X015-01

0:W/O Light Pipe



1:Inner Light Pipe

2:Outer Light Pipe

3:Inner+Outer Light Pipe

					GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/11	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com	
					.X ±0.35	X.° ± 2°	CHECKE	HYY		SCALE	1:1		
					.XX ±0.25	.X.° ± 1°							
					.XXX ±0.15	.XX° ± 0.5°	APPROVE			SHEET	2/4		
A0		NEW DESIGN	2017/06/11		PROJECT						2/4	PART NO.	6001-26X015-01
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE			DRAWING NO			REV	A0	TITLE	SFP+ 2X6 CAGE+CONNECTOR

RoHS compliant





NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND (53 HOLES).

RECOMMENDED PCB CONFIGURATION

					GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/11	UNIT	MM	 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONIC TECHNOLOGY CO., LTD. TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com	
					.X ±0.35	X.° ±2°	CHECKE	HYY		SCALE	1:1		
					.XX ±0.25	X° ±1°							
A0		NEW DESIGN	2017/06/11		.XXX ±0.15	.XX° ±0.5°	APPROVE			SHEET	3/4	PART NO.	6001-26X015-01
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT		DRAWING NO			REV	A0	TITLE	SFP+ 2X6 CAGE+CONNECTOR

RoHS compliant



RECOMMENDED BEZEL DESIGN

					GENERAL TOLERANCE		DRAWN	Gene Li	2017/06/11	UNIT	MM	X-SHUN 东莞市祥舜电子科技有限公司 DONGGUAN X-SHUN ELECTRONICTECHNOLOGY CO., LTD TEL:+86 769 81885389 FAX:+86 769 81887859 E-Mail:sales@x-shun.com Http:www.x-shun.com			
					.X	±0.35	X.°	±2°	CHECKE	HYY		SCALE	1:1		
					.XX	±0.25	.X°	±1°							
A0		NEW DESIGN	2017/06/11		.XXX	±0.15	.XX°	±0.5°	APPROVE			SHEET	4/4	PART NO.	6001-26X015-01
REV	ECN NO	DESCRIPTION	DATE	SIGNATURE	PROJECT				DRAWING NO			REV	A0	TITLE	SFP+ 2X6 CAGE+CONNECTOR